

Notice of References CitedApplication/Control No.
09/591,177Applicant(s)/Patent Under
Reexamination
BEAUDOIN ET AL.Examiner
Bradley L. SissonArt Unit
1634

Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
	A	US-6,312,662 B1	11-2001	Erion et al.	424/9.1
	B	US-			
	C	US-			
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS


*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	V	
	W	
	X	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

[illegible]

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)



Docket Number (Optional) 850865.90015	Application Number 09/591,177
Applicant(s) A.L. BEAUDOIN et al.	
Filing Date June 9, 2000	Group Art Unit 1634

*EXAMINER INITIAL	OTHER DOCUMENTS (Indicate Author, Title, Date, Pertinent Pages, Etc.)
3.	Su, C., Bevan, J.A., and Burnstock, G. [3H] adenosine triphosphate: release during stimulation of enteric nerves. Science 173(994): 336-338, 1971.
4.	Langer, S.Z., and Pinto, J.E.B. Possible involvement of a transmitter different from norepinephrine in the residual responses to nerves stimulation of the cat nictitating membrane after pretreatment with reserpine. J. Pharmacol. Exp. Ther. 196(3): 697-713, 1976.
5.	Burnstock, G. Purinergic receptors. J. Theor. Biol. 62 (2): 491-503, 1976.
6.	Von Kugelgen, I., and Starke, K. Noradrenaline-ATP co-transmission in the sympathetic nervous system. Trends Pharmacol. Sci. 12(9): 319-324, 1991.
7.	Westfall, D.P., Sedaa, K.O., Shinozuka, K., Bjun, R.A., and Buxton, I.L. ATP as a Cotransmitter Ann. NY Acad. Sci. 603: 300-310, 1990.
8.	Burnstock, G. Neural nomenclature. Nature 229(5282): 282-283, 1971.
9.	Burnstock, G. A basis for distinguishing two types of purinergic receptors. In: Cell membrane receptors for drugs and hormones: A multidisciplinary approach. (Eds. R.W. Straub and L. Bolis), Raven press, New York. Pp. 108-118, 1978.
10.	Fredholm, B.B., Abbracchio, M.P., Burnstosk, G., Daly, J.W., Harden, T.K., Jacobson, K.A., Leff, P., and Williams, M. Nomenclature and classification of purinoceptors. Pharmacol. Rev. 46(2): 143-156, 1994.
11.	Juul, B., Plesner, L., and Aalkjaer, C. Effects of ATP and related nucleotides on the tone of isolated rat mesenteric resistance arteries. J. Pharmacol. Exp. Therap. 264: 1234-1240, 1993.
12.	Motte, S.; Commun, D.; Piroton, S.; Boeynaems, J.M. Involvement of multiple receptors in the actions of extracellular ATP: the example of vascular endothelial cells. Int. J. Biochem. Cell Biol. 27: 1-7, 1995.
13.	Rongen, G.A., Floras, J.S., Lender, J.W.M, Thier, T., and Smits, P. Cardiovascular pharmacology of purines. Clin. Sci. 92: 13-24, 1997.
14.	Dubyak, G.R., and El Moatassim, C. Signal transduction via P2-purinergic receptors for extracellular ATP and other nucleotides. Am. J. Physiol. 265: C577-C606, 1993.

RECEIVED
MAY 03 2001
TECH CENTER 1600/2900

EXAMINER <i>B. J. Simon</i>	DATE CONSIDERED 6-17-02
--------------------------------	----------------------------

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Docket Number (Optional)

850865.90015

Application Number

09/591,177

Applicant(s)

A.L. BEAUDOIN et al.

Filing Date

June 9, 2000

Group Art Unit

1634

*EXAMINER
INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Johnson, C.R., and Hourani, S.M. Contractile effects of uridine 5'-triphosphate in the rat duodenum. Br. J. Pharmacol. 113(4): 1191-1196, 1994.

Pennanen, M.F., Bass, B.L., Dziki, A.J., and Harmon, J.W. Adenosine differential effect on blood flow to suregions of the upper gastrointestinal tract. J. Surg. Res. 56(5): 461-465, 1994.

Strohmeier, G.R., Reppert, S.M., Lencer, W.I., and Madana, J.L. The A2b adenosine receptor mediated cAMP responses to adenosine receptor agonists in human intestinal epithelia. J.Biol. Chem. 270(5): 2387-2394, 1995.

Hancock, D.L., and Coupar, I.M. Functional characterization of the adenosine receptor mediating inhibition of peristalsis in the rat jejunum. Br. J. Pharmacol 115(5):739-744, 1995.

Sarna, S.K. Gastrointestinal longitudinal muscle contractions. Am. J. Physiol. 265(1pt1): G156-G164, 1993.

Baricordi, O.R., Ferrari, D., Melchiorri, L., Chiozzi, P., Hamann, S., Chair, E., Rubini, M., and Di Virgilio, F. An ATP-activated channel is involved in mitogenic stimulation of human T lymphocytes. Blood 87(2): 682-690, 1996.

Di Virgilio, F. The P2Z purinoceptor: an intriguing role in immunity, inflammation and cell death. Immunol. Today 16(11): 525-528, 1995.

Ventura, M.A., and Thomopoulos, P. ADP and ATP activate distinct signaling pathways in human promonocytic U-937 cells differentiated with 1,25-dihydroxy-vitamin D3. Mol. Pharmacol 47: 104-114, 1995.

Biffen, M., and Alexander, D.R. Mobilization of intracellular Ca2+ by adenine nucleotides in human T-leukaemia cells: evidence for ADP-specific and P2y-purinergic receptors. Biochem. J. 304:769-774, 1994.

Apasov, S., Koshiba, M., Redegeld, F., and Sitokovsky, M.V. Role of extracellular ATP and P1 and P2 classes of purinergic receptors in T-cell development and cytotoxic T lymphocyte effector functions. Immunol. Rev. 146: 5-19, 1995.

Hedge, S.S., Mandel, D.A., wilfird, M.R., Briand, S., Ford, A.P.D.W., and Eglen, R.M. Evidence for purinergic neurotransmission in the urinary bladder of pithed rats. Eur. J. Pharmacol. 349(1): 75-82, 1998.

Dunwiddie, T.V., Abbracchio, M.P., Bischofberger, N., Brundage, J.M., Bruell, G., Collo, G., Corsi, C., Diao, L., Kawashima, E., Jacobson, K.A., Latini, S., Lin, R.C.S., Noth, R.A., Pazzagli, M., Pedata, F., Pepen, G.C., Proctor, W.R., Rassendren, F., Surprenant, A., and Cattabeni, F. Purinoceptors in the central nervous system. Drug Dev. Res. 39(3-4): 361-370, 1996.


EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)



Docket Number (Optional)

850865.9001

Application Number

09/591,177

Applicant(s)

A.L. BEAUDOIN et al.

Filing Date

June 9, 2000

Group Art Unit

1634

*EXAMINER
INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

27. Burnstock, G., and Wood, J.N. Purinergic receptors: Their role in nociception and primary afferent neurotransmission. Curr. Opinion in Neurobiol. 6(4): 526-532, 1996.

28. Von Kugelgen, I. Purinoceptors modulating the release of noradrenaline. J. Autonomic. Pharmacol. 14(1): 11-12, 1994.

29. Beaudoin, A.R.; Sévigny, J.; Picher, M. ATP diphosphohydrolases, apyrases and nucleotide phosphohydrolases: biochemical properties and functions. In: Biomembrane, vol. 5; Lee, A.G., Ed.; Greenwich, CT: JAI, pp. 369-401, 1996.

30. Beaudoin, A.R.; Grondin, G.; Enjyoji, K.; Robson, S.C.; Sévigny, J.; Fischer, B.; Gendron, F.-P. Physiological role of NTPDases (ATP diphosphohydrolases) in mammals. Proceeding of the 2nd International Workshop on ecto-ATPase and related nucleotidases. Diepenbeek, Belgium, 14-18 June 1999. Vanduffel L., and Lemmens R., Eds. Shaker Publishing B.V., The Netherlands; pp. 125-135, 2000.

31. Plesner, L. Ecto-ATPases: identities and functions. Int. Rev. Cytol. 158: 141-214, 1995.

32. Vlakovic, S.M.; Thorne, P.R.; Hously, G.D.; Munoz, D.J.B.; Kendrick, I.S. Ecto-nucleotidases terminate purinergic signalling in the cochlear endolymphatic compartment. Neuroreport 9: 1559-1565, 1998.

33. Zimmermann, H. 5'-Nucleotidase: molecular structure and functional aspects. Biochem. J. 285: 345-365, 1992.

34. Laliberté, J.F., and Beaudoin A.R. Sequential hydrolysis of the gamma- and beta-phosphate groups of ATP by the ATP diphosphohydrolase from pig pancreas. Biochim. Biophys. Acta. 742(1):9-15, 1983.

35. Côté Y.P., Pavate C. and Beaudoin A.R. The control of nucleotides in blood vessels: Role of the ATP diphosphohydrolase (apyrase). Curr. Top. Pharmacol. 1: 83-92, 1992.

36. Sévigny J., Levesque F.R., Grondin G. and Beaudoin A.R. Purification of the blood vessel ATP diphosphohydrolase, identification and localization by immunological techniques. Biochim. Biophys. Acta 1334: 73-88, 1997.

37. LeBel D., Poirier G.G. Phaneuf, S. St-Jean P., Laliberté J.-F. and Beaudoin A.R. Characterization and purification of a calcium sensitive ATP diphosphohydrolase from the pig pancreas. J. Biol. Chem. 255: 1227-1233, 1980.

38. Sévigny, J.; Côté, Y.P.; Beaudoin, A.R. Purification of pancreas type I ATP diphosphohydrolase and identification by affinity labelling with 5'-p-fluorosulfonyl benzoyl adenosine ATP analog. Biochem. J. 312: 351-356, 1997.

EXAMINER

B. J. Lison


DATE CONSIDERED

10-17-02

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)



Docket Number (Optional)

850865.9001

Application Number

09/591,177

Applicant(s)

A.L. BEAUDOIN et al.

Filing Date

June 9, 2000

Group Art Unit

11034

*EXAMINER
INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

TECH CENTER 1600/2900
MAY 03 2001
RECEIVED

39.

Christoforidis, S.; Papamarcaki, T.; Galaris, D.; Kellner, R.; Tsolas, O. Purification and properties of human placental ATP diphosphohydrolase. Eur. J. Biochem. 234: 66-74, 1995.

40.

Kaczmarek, E.; Koziack, K.; Sévigny, J.; Siegel, J.B.; Anrather, J.; Beaudoin, A.R.; Bach, F.H.; Robson, S.C. Identification and characterization of CD39/vascular ATP diphosphohydrolase. J. Biol. Chem. 271: 33116-33122, 1996.

41.

Maliszewski, C.R.; Delespesse, G.L.; Schoenborn, M.A.; Armitage, R.J.; Fanslow, W.C.; Nakajima, T.; Baker, E.; Sutherland, G.R.; Poindexter, K.; Birks, C.; Alpert, A.; Friend, D.; Gimpel, S.D.; Gayle III, R.B. The CD39 lymphoid cell activation antigen: Molecular cloning and structural characterization. J. Immunol. 153: 3574-3583, 1994.

42.

Wang, T.F.; Guidotti, G. CD39 is an ecto-(Ca²⁺, Mg²⁺)-apyrase. J. Biol. Chem. 271: 9898-9901, 1996.

43.

Barcellos, C.K. Schetinger MR. Battastini AM. Silva LB. Dias RD. Sarkis JJ. Inhibitory effect of cadmium acetate on synaptosomal ATP diphosphohydrolase (EC 3.6.1.5; apyrase) from adult rat cerebral cortex. Br. J. Med and Biol. Res. 27(5): 1111-1115, 1994.

44.

Côté, Y.P., Ouellet, S., and Beaudoin, A.R. Kinetic properties of type-II ATP diphosphohydrolase from the tunica media of the bovine aorta. Biochim. Biophys. Acta 1160(3): 246-250, 1992.

45.

Picher, M.; Sévigny, J.; D'Orléans-Juste, P.; Beaudoin, A.R. Hydrolysis of P2-purinoceptor agonists by a purified ectonucleotidase from the bovine aorta, the ATP diphosphohydrolase. Biochem. Pharmacol. 51: 1453-1460, 1996.

46.

Westfall, T.D., Kennedy, C., and Sneddon, P. The ecto-ATPase inhibitors ARL 67156 enhance parasympathetic neurotransmission in the guinea-pig urinary bladder. Eur. J. Pharmacol. 329(2-3): 169-173, 1997.

47.

Crack, B.E., Pollard, C.E., Beukers, M.W., Roberts, S.M., Hunt, S.F., Ingall, A.H., McKechnie, K.C., Ijzerman, A.P., and Leff, P. Pharmacological and biochemical analysis of FPL 67156, a novel, selective inhibitor of ecto-ATPase. Br. J. Pharmacol. 114(2): 475-481, 1995.

48.

Chen, B.C., Lee, C.M., and Lin W.W. Inhibition of ecto-ATPase by PPADS, suramin and reactive blue in endothelial cells, C-6 glioma cells and raw 264.7 macrophages. Br. J. Pharmacol. 119(8): 1628-1634, 1996.

49.

Kennedy, C., Westfall, T.D., and Sneddon, P. Modulation of purinergic neurotransmission by ecto-ATPase. Sem. Neurosci. 8(4): 195-199, 1996.

50.

Fischer, B.; Chulkin, A.; Boyer, J.L.; Harden, K.T.; Gendron, F.-P.; Beaudoin, A.R.; Chapal, J.; Hillaire-Buys, D.; Petit, P. 2-thioether-5'-O-(1-thiotriphosphate) adenine derivatives as new insulin secretagogues acting through P2Y-receptors. J. Med. Chem. 42: 3636-3646, 1999.

EXAMINER

B. L. Lison


DATE CONSIDERED

6-17-02

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)



Docket Number (Optional)

850865.90015

Application Number

09/591,177

Applicant(s)

A.L. BEAUDOIN et al.

Filing Date

June 9, 2000

Group Art Unit

16 34

*EXAMINER
INITIAL

OTHER DOCUMENTS (Including Abstract, Title, Date, Pertinent Pages, Etc.)

RECEIVED
MAY 03 2001

51.

Bültmann, R., Wittenburg, H., Pause, B., Kurz, G., Nickel, P., and Starke, K. P2-purinoceptors antagonists: III. Blockade of P2-purinoceptor subtypes and ecto-nucleotidases by compounds related to suramin. Naunyn-Schmiedeberg's Arch. Pharmacol. 354: 498-504, 1996.

52.

Tuluc, F., Bültmann, R., Glänzel, M., Wilhelm Frahm, A., and Starke, K. P2-receptor antagonists: IV. Blockade of P2 receptor subtypes and ecto-nucleotidases by compounds related to reactive blue 2. Naunyn-Schmiedeberg's Arch. Pharmacol. 357: 111-120, 1998.

54.

Bültmann, R., and Starke, K. Reactive red 2: a P2Y-selective purinoceptor antagonist and an inhibitor of ecto-nucleotidase. Naunyn-Schmiedeberg's Arch. Pharmacol. 352: 477-482, 1995.

55.

Wittenburg, H., Bültmann, R., Pause, B., Ganter, C., Kurz, G., and Starke, K. P2-purinoceptor antagonists: II. Blockade of P2-purinoceptor subtypes and ecto-nucleotidases by compounds related to Evans Blue and trypan blue. Naunyn-Schmiedeberg's Arch. Pharmacol. 354: 491-497, 1996.

56.

Bültmann, R., Pause, B., Wittenburg, H., Kurz, G., and Starke, K. P2-purinoceptor antagonists: I. Blockade of P2-purinoceptor subtypes and ecto-nucleotidases by small aromatic isothiocyanato-sulphonates. Naunyn-Schmiedeberg's Arch. Pharmacol. 354: 481-490, 1996.

57.

Bonan, C.D., Battastini, A.M.O., Schetinger, M.R.C., Moreira, C.M., Frassetto, S.S., Dias, R.D., and Sarkis, J.J.F. Effects of 9-amino-1,2,3,4-tetrahydroacridine (THA) on ATP diphosphohydrolase (EC 3.6.1.5) and 5' nucleotidases (EC 3.1.3.5) from rat brain synaptosomes. Gen. Pharmac. 28(5): 761-766, 1997.

58.

Gendron F.-P., Halbfinger E., Fischer B., D'Orleans-Juste P., Duval M. and Beaudoin, A. R. Novel ATP diphosphhydrolase inhibitors: Synthesis, biochemical and pharmacological characterization. J. Med. Chem., 2000. (in press).

59.

Fischer, B.; Boyer, J.L.; Hoyle, C.H.; Ziganshin, A.U.; Brizzolara, A.L.; Knight, G.E.; Zimmet, J.; Burnstock, G.; Harden, T.K.; Jacobson, K.A. Identification of potent, selective P2Y-purinoceptor agonists: structure-activity relationships for 2-thioether derivatives of adenosine 5'-triphosphate. J. Med. Chem. 36: 3937-3946, 1993.

60.

Baykov A.A., Evtushenko O.A. and Avaev S.M. Malachite green procedure for orthophosphate determination and its use in alkaline phosphatase-based enzyme immunoassay. Anal. Biochem. 171: 266-270, 1988.

61.

Bradford M.M. A rapid and sensitive method for the quantification of microgram quantities of protein utilising the principle of protein-dye binding. Anal. Biochem. 72: 248-254, 1976.

62.

Berthiaume, N.; Claing, A.; Regoli, D.; Warner, T.D.; D'Orléans-Juste, P. Characterization of receptors for kinins and neurokinins in the arterial and venous mesenteric vasculatures of the guinea-pig. Br. J. Pharmacol. 115: 1319-1325, 1995.

Halbfinger, E.; Major, D.T.; Ritzmann, M.; Ubl, J.; Reiser, G.; Boyer, J.L.; Harden, K.T.; Fischer, B. Molecular recognition of modified adenine nucleotides by the P2Y1-receptor. Part I. A synthetic, biochemical, and NMR approach. J. Med. Chem. 42: 5325-5337, 1999.

EXAMINER

B. L. Linn

DATE CONSIDERED

6-17-02

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.